

CONVERTER LIST - ALL-100 Family

[Download](#)

PACKAGE	CONVERTER	Function
BGA	CNV-BGA-DIP8	8-pin BGA(PITCH 0.75mm,3.73x2.35mm,4x2 Grid) socket. Supports ATMEL AT24C512C.(8-pin VFBGA)
BGA	CNV-SPIA-BG24	24-pin BGA(PITCH 1.0mm,8x6mm,6x4 Grid) socket. Supports 24-ball BGA serial PROM.
BGA	CNV-SPI-BG24A	24-pin BGA(PITCH 1.0mm,8x6mm,5x5 Grid) socket. Supports 24-ball BGA serial PROM.(5x5-1 Grid)
DIP	CNV-DIP-35LV020	32-pin DIP socket. Supports GTK ARF35LV020.
DIP	CNV-DIP48-78E354	48-pin DIP socket. Supports WINBOND W78E354.
DIP	CNV-DIP-EPC	32-pin DIP socket. Supports ALTERA EPC1.
DIP	CNV-DIP-XC17SXX	32-pin DIP socket. Supports XILINX XC17S200A.(8-pin DIP)

MEMORY CARD	CNV-SD11-DIP10	MMC card socket. Supports ATMEL AT45DCB002.(7-pin DataFlash Card)
-------------	----------------	--

PLCC	CNV-PL44-COP8SAX	44-pin PLCC socket. Supports NATIONAL COP8SAC744V,COP8SGE744V, COP8SACGR744V.
------	------------------	---

PLCC	CNV-PL44-COP8X9	44-pin PLCC socket. Supports NATIONAL COP8CBR9,COP8CDR9.
------	-----------------	---

PLCC	CNV-PL44-COP8X9V2	44-pin PLCC socket. Supports NATIONAL COP8CBR9,COP8CCR9,COP8CDR9, COP8SBR9,COP8SCR9,COP8SDR9.
------	-------------------	---

PLCC	CNV-PL44-COPL8RB	44-pin PLCC socket. Supports NATIONAL COP87L88RBV.
------	------------------	---

PLCC	CNV-PL52-TSC51I2	52-pin PLCC socket. Supports TEMIC TSC8751I2,TSC8751C3.
------	------------------	--

PLCC	CNV-PL68-51RD2	68-pin PLCC socket. Supports TEMIC T89C51RD2.
------	----------------	--

PLCC	CNV-PL68-COP8X9	68-pin PLCC socket. Supports NATIONAL COP8SXX9/CXX9.
------	-----------------	---

PLCC	CNV-PLCC-16C64B	44-pin PLCC socket. Supports MICROCHIP PIC16C64/65,PIC16C74.
PLCC	CNV-PLCC-17C42	44-pin PLCC socket. Supports MICROCHIP PIC17C42/43/44.
PLCC	CNV-PLCC-35LV020	32-pin PLCC socket. Supports GTK ARF35LV020.
PLCC	CNV-PLCC-78E354	68-pin PLCC socket. Supports WINBOND W78E354.
PLCC	CNV-PLCC-87251A1	44-pin PLCC socket. Supports TEMIC TSC87251A1.
PLCC	CNV-PLCC-90S8535	44-pin PLCC socket. Supports ATMEL AT90S8535,AT90S4434.
PLCC	CNV-PLCC-AT17XXA	20-pin PLCC socket. Supports ATMEL AT17C128A.
PLCC	CNV-PLCC-ATV2500	44-pin PLCC socket. Supports ATMEL ATV2500H/L/LV/LVL/B/BL/BQ/BQL; PHILIPS PLV2500.

PLCC	CNV-PLCC-DIP28	<p>28-pin PLCC socket.</p> <p>Supports pin to pin,DIP-28 to PLCC-28.</p>
PLCC	CNV-PLCC-EP1M32A	<p>32-pin PLCC socket.</p> <p>Supports all 32-pin PLCC EPROM from 1MB up, 28F020,28F010,28F512,28F256,29F010,29F040.</p>
PLCC	CNV-PLCC-EP1M44	<p>44-pin PLCC socket.</p> <p>Supports all 44-pin PLCC EPROM from 1MB up.</p> <p>The pins not connected are: 1,13,23,33.</p>
PLCC	CNV-PLCC-EP512	<p>32-pin PLCC socket.</p> <p>Supports all 32-pin PLCC EPROM ranging from 2764 to 27512.</p> <p>The pins not connected are: 1,12,17,26.</p>
PLCC	CNV-PLCC-EP610	<p>28-pin PLCC socket.</p> <p>Supports ALTERA EP600/610/630,EP600I/610I,85C060; AMD PLACE610H; INTEL 5C060,85C060,iPLD610; TI EP610/630.</p>

PLCC	CNV-PLCC-EP910	<p>44-pin PLCC socket.</p> <p>Supports ALTERA EP910I,85C090,EP900/910/910A/900I; INTEL 5C090,85C090,iPLD910; TI EP910.</p>
PLCC	CNV-PLCC-EPC1213	<p>20-pin PLCC socket.</p> <p>Supports ALTERA EPC1,EPC1064,EPC1064V,EPC1213,EPC1441.</p>
PLCC	CNV-PLCC-EPC2	<p>20-pin PLCC socket.</p> <p>Supports ALTERA EPC2LC20.</p>
PLCC	CNV-PLCC-EPM5032	<p>28-pin PLCC socket.</p> <p>Supports ALTERA EPM5032; CYPRESS CY7C344.</p>
PLCC	CNV-PLCC-MPU51B	<p>44-pin PLCC socket.</p> <p>Supports MPU 8751/89C51 series,SST 89E564. (except PHILIPS 87C550; SIEMENS C513A-2E; INTEL 87L51FA/FB/FC/52/54/58)</p>
PLCC	CNV-PLCC-PAL20	<p>20-pin PLCC socket.</p> <p>Supports 20-pin PLCC PAL.</p>

PLCC	CNV-PLCC-PAL28A	<p>28-pin PLCC socket.</p> <p>Supports 28-pin PLCC PAL.</p> <p>The pins not connected are: 1,8,15,22.</p>
PLCC	CNV-PLCC-PAL28C	<p>28-pin PLCC socket.</p> <p>Supports ATMEL ATF22V10C,ATF22LV10C,ATF22V10CZ,ATF22LV10CZ.</p>
PLCC	CNV-PLCC-PROM28A	<p>28-pin PLCC socket.</p> <p>27S47/49/180/181/280/281/190/191/290/291.</p> <p>The pins not connected are:1,10,15,21.</p>
PLCC	CNV-PLCC-W78E378	<p>44-pin PLCC socket.</p> <p>Supports WINBOND W78E378P.</p>
PLCC	CNV-PLCC-XC1736	<p>20-pin PLCC socket.</p> <p>Supports 20-pin PLCC serial EEPROM.</p> <p>XILINX XC1736,XC1736A,XC1765,XC17128,XC1718D, XC1736D,XC1765D,XC1718L,XC1736L,XC1765L.</p> <p>The pins not connected are:1,3,5,7,9,11,12,13,15,16,18,19.</p>
PLCC	CNV-PLCC-XC17V16	<p>44-pin PLCC socket.</p> <p>Supports XILINX XC17V16,XC17V08.</p>
PLCC	CNV-PLCC-XC17VXX	<p>20-pin PLCC socket.</p> <p>Supports XILINX XC17V02.</p>

PLCC	CNV-PLCC-XQ1701L	44-pin PLCC socket. Supports XILINX XQ1701L.
PLCC	CNV-PLCC-Z86E21	44-pin PLCC socket. Supports ZILOG Z86E21.
QFN(MLF)	CNV-LLP44-COP8X9	44-pin QFN(PITCH 0.5mm,7x7mm,Array:12 on 2,10 on 2) socket. Supports NATIONAL COP8CB/CC/CDR9,COP8SB/SC/SDR9. (44-pin LLP)
QFN(MLF)	CNV-MLF20-HT82B40R	20-pin QFN(PITCH 0.65mm,5x5mm,Array:5 on 4 + 1) socket. Supports HOLTEK HT82B40R.
QFN(MLF)	CNV-MLF28- PIC16C72AV2	28-pin QFN(PITCH 0.65mm,6x6mm,Array:7 on 4) socket. Supports MICROCHIP PIC16LF873A,PIC18F2431,PIC18F25J10. (28-pin MLF)
QFN(MLF)	CNV-MLF28-PIC16F88	28-pin QFN(PITCH 0.65mm,6x6mm,Array:7 on 4) socket. Supports MICROCHIP PIC16F81X series.(28-pin MLF)
QFN(MLF)	CNV-MLF-AT90PWM3	32-pin QFN(PITCH 0.65mm,7x7mm,Array:8 on 4 + 1) socket. Supports ATMEL AT90PWM3.
QFN(MLF)	CNV-MLF-AT90PWM3A	32-pin QFN(PITCH 0.65mm,7x7mm,Array:8 on 4 + 1) socket. Supports ATMEL AT90PWM2,AT90PWM3,AT90PWM2B, AT90PWM3B,AT90PWM216,AT90PWM316.

QFN(MLF)	CNV-MLF-ATTINY13A	10-pin QFN(PITCH 0.5mm,3x3mm,Array:2 on 5 + 1) socket. Supports ATMEL ATTINY2313.(20-pin MLF)
QFN(MLF)	CNV-MLF-ATTINY2313	20-pin QFN(PITCH 0.5mm,4x4mm,Array:5 on 4 + 1) socket. Supports ATMEL ATTINY2313.(20-pin MLF)
QFN(MLF)	CNV-MLF-ATTINY26	32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4) socket. Supports ATMEL ATTINY26,ATTINY26L.(32-pin MLF)
QFN(MLF)	CNV-MLF-ATTINY28A	32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports ATMEL ATTINY28,ATMEGA8L.(32-pin MLF)
QFN(MLF)	CNV-MLF-ATTINY28B	32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports ATMEL ATMEGA48.(32-pin MLF)
QFN(MLF)	CNV-MLF-HT82K68E	32-pin QFN(PITCH 0.5mm,5x5mm,Array:8 on 4 + 1) socket. Supports HOLTEK HT82K68E.
QFN(MLF)	CNV-MLF-MEGA162	44-pin QFN(PITCH 0.5mm,7x7mm,Array:11 on 4) socket. Supports ATMEL ATMEGA162.(44-pin MLF)
QFN(MLF)	CNV-MLF-MEGA8535	44-pin QFN(PITCH 0.5mm,7x7mm,Array:11 on 4) socket. Supports ATMEL ATMEGA8535.(44-pin MLF)
QFN(MLF)	CNV-PICS-UQFN28	28-pin QFN(PITCH 0.4mm,4x4mm,Array:7 on 4 + 1) socket. Supports MICROCHIP PIC16LF1903.(28-pin UQFN28)

QFN(MLF)	CNV-QFN16-HCS08	16-pin QFN(PITCH 0.8mm,5x5mm,Array:4 on 4 + 1) socket. Supports FREESCALE,MOTOROLA MC9S08QG4CFFE, MC9S08QG8CFFE.
QFN(MLF)	CNV-QFN16-PIC16	16-pin QFN(PITCH 0.5mm,3x3mm,Array:4 on 4) socket. Supports MICROCHIP PIC16 series.
QFN(MLF)	CNV-QFN16-PICS	16-pin QFN(PITCH 0.65mm,4x4mm,Array:4 on 4 + 1) socket. Supports MICROCHIP PIC16F684.
QFN(MLF)	CNV-QFN40-PICS	40-pin QFN(PITCH 0.4mm,5x5mm,Array:10 on 4 + 1) socket. Supports MICROCHIP PIC18LF45K50.(40-pin UQFN)
QFN(MLF)	CNV-QFN44-PICS	44-pin QFN(PITCH 0.65mm,8x8mm,Array:11 on 4 + 1) socket. Supports MICROCHIP PIC16LF874A.
QFN(MLF)	CNV-QFN64-PIC16	64-pin QFN(PITCH 0.5mm,9x9mm,Array:16 on 4 + 1) socket. Supports MICROCHIP PIC16 series.
QFN(MLF)	CNV-QFN-DIP24	24-pin QFN(PITCH 0.5mm,4x4mm,Array:6 on 4 + 1) socket. Supports pin to pin,DIP-24 to QFN-24.
QFN(MLF)	CNV-QFN-DIP24A	24-pin QFN(PITCH 0.5mm,4x4mm,Array:6 on 4 + 1) socket. Supports pin to pin,DIP-24 to QFN-24.

QFP	CNV-PQFP-TS52X2	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports TEMIC TS87C52X2.(44-pin PQFP)
QFP	CNV-Q64-51RD2	64-pin QFP(PITCH 0.5mm,10x10mm) socket. Supports TEMIC T89C51RD2.(64-pin TQFP)
QFP	CNV-QFP-16C64	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MICROCHIP PIC16C64,PIC16C65,PIC16C74.
QFP	CNV-QFP-17C42	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports MICROCHIP PIC17C42/43/44.
QFP	CNV-QFP48-78E61	48-pin QFP(PITCH 0.5mm,7x7mm) socket. Supports WINBOND W78E512,W78E61.
QFP	CNV-QFP-90S4433	32-pin QFP(PITCH 0.8mm,7x7mm) socket. Supports ATMEL AT90S2333,AT90LS2333,AT90S4433,AT90LS4433.
QFP	CNV-QFP-90S8535	44-pin QFP(PITCH 0.8mm,10x10mm) socket. Supports ATMEL AT90S4434,AT90S8535.
QFP	CNV-QFP-AT17XXA	32-pin QFP(PITCH 0.8mm,7x7mm) socket. Supports ATMEL AT17LV002A.
QFP	CNV-QFP-EPC2	32-pin QFP(PITCH 0.8mm,7x7mm) socket. Supports ALTERA EPC2TC32.

QFP	CNV-QFP-MPU51B	<p>44-pin QFP(PITCH 0.8mm,10x10mm) socket.</p> <p>Supports MPU 8751/89C51 series,SST 89E564.</p> <p>(except PHILIPS 87C550;</p> <p>SIEMENS C513A-2E;</p> <p>INTEL 87L51FA/FB/FC/52/54/58)</p>
QFP	CNV-QFP-W77E468	<p>100-pin QFP(PITCH 0.65mm,14x20mm) socket.</p> <p>Supports WINBOND W77E468.</p>
QFP	CNV-QFP-XC17XX	<p>44-pin QFP(PITCH 0.8mm,10x10mm) socket.</p> <p>Supportss XILINX XC1702L,XC1704L.</p>
SDIP	CNV-SDIP-DIP28	<p>28-pin SDIP(PITCH 1.778mm,400mil) socket.</p> <p>Supports pin to pin,DIP-28 to SDIP-28.</p>
SDIP	CNV-SDIP-DIP32	<p>32-pin SDIP(PITCH 1.78mm,400mil) socket.</p> <p>Supports pin to pin,DIP-32 to SDIP-32.</p>
SON	CNV-CASON-DIP8A	<p>8-pin SON(PITCH 1.27mm,6x8mm,Array:4 on 2) socket.</p> <p>Supports ATMEL AT45DBXX.(8-pin CASON);</p> <p>STM M25PXXX.(8-pin MLP)</p>
SON	CNV-DFN-HCS08	<p>8-pin SON(PITCH 0.8mm,4x4mm,Array:4 on 2 + 1) socket.</p> <p>Supports FREESCALE MC9S08QA2,MC9S08QG4.(8-pin DFN)</p>

SON	CNV-MISON-DIP8	8-pin SON(PITCH 0.5mm,2x3mm,Array:4 on 2 + 1) socket. Supports MICROCHIP 24AA64,24LC64.(8-pin DFN)
SON	CNV-MISON-DIP8A3	8-pin SON(PITCH 0.5mm,2x3mm,Array:4 on 2 + 1) socket. Supports 8-pin SON serial PROM.
SON	CNV-SNT-DIP8	8-pin SON(PITCH 0.5mm,1.97x2.23mm,Array:4 on 2) socket. Supports SEIKO S-24C02BP.(8-pin SNT)
SON	CNV-TDFN-DIP8	8-pin SON(PITCH 0.65mm,3x3mm,Array:4 on 2 +) socket. Supports DALLAS,MAXIM MAX9660.(8-pin TDFN)
SOP	CNV-MSOP-DIP10	10-pin SOP(PITCH 0.5mm,3mm) socket. Supports HOLTEK HT46R01-1,HT46R02-1,HT46R03-1. (10-pin MSOP)
SOP	CNV-MSOP-DIP8	8-pin SOP(PITCH 0.65mm,3mm) socket. Supports MICROCHIP 24XX series.(8-pin MSOP)
SOP	CNV-QSOP-DIP28B	28-pin SOP(PITCH 0.635mm,3.94mm) socket. Supports CYPRESS PALCE16V8/L.(28-pin QSOP)
SOP	CNV-SOP-18F25J10	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports MICROCHIP PIC18F26J50.

SOP	CNV-SOP-AT25HP512	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports ATMEL AT25HP512.(16-pin SOP)
SOP	CNV-SOP-DIP28A	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports pin to pin,DIP-28 to SOP-28.
SOP	CNV-SOP-DIP28B	28-pin SOP(PITCH 1.27mm,9mm) socket. Supports TOSHIBA TC54512AF.
SOP	CNV-SOP-DIP32	32-pin SOP(PITCH 1.27mm,7.55mm) socket. Supports ATMEL AT90PWM3; HAIER HR6P78P8S.
SOP	CNV-SOP-DIP40	40-pin SOP(PITCH 1.27mm,11.4mm) socket. Supports MXIC MX27C4100.
SOP	CNV-SOP-EP1M32	32-pin SOP(PITCH 1.27mm,11.6mm) socket. Supports all 32-pin SOP EPROM and EEPROM,from 1MB up.
SOP	CNV-SOP-EP512	28-pin SOP(PITCH 1.27mm,8.45mm) socket. Supports 28-pin SOP EPROM from 2764 to 27512.
SOP	CNV-SOP-FS6370	16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports AMI FS6370-01.

SOP	CNV-SOP-NDIP16A	16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports 14-pin SOP(150 mil) serial EEPROM.
SOP	CNV-SOP-NDIP16B	24-pin SOP(PITCH 1.27mm,5.5mm) socket. Supports MICROCHIP 24C65.(8-pin SOP)
SOP	CNV-SOP-NDIP16C	16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports ATMEL AT93C46/56/57/66(REVERSE).
SOP	CNV-SOP-NDIP16F	16-pin SOP(PITCH 1.27mm,4.2mm) socket. Supports pin to pin,DIP-16 to SOP-16.
SOP	CNV-SOP-NDIP16G	16-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports pin to pin,DIP-16 to SOP-16.
SOP	CNV-SOP-NDIP16H	24-pin SOP(PITCH 1.27mm,5.5mm) socket. Supports EXCELSEMI ES25P80.(8-pin SOP)
SOP	CNV-SOP-NDIP16I	16-pin SOP(PITCH 1.27mm,3.9mm) socket. Supports 8-pin SOP(150 mil) serial PROM(REVERSE).
SOP	CNV-SOP-NDIP8	8-pin SOP(PITCH 1.27mm,4.4mm) socket. Supports pin to pin,DIP-8 to SOP-8.

SOP	CNV-SOP-PIC16C5X	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports MICROCHIP PIC16C54,PIC16C55,PIC16C56, PIC16C57,PIC16C58,PIC16C71,PIC16C84/LC84.
SOP	CNV-SOP-SPI16A	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports STM M25PXXX.(16-pin SOP)
SOP	CNV-SOP-XC17XX	28-pin SOP(PITCH 1.27mm,7.6mm) socket. Supports XILINX XC1701,XC1701/L,XC17512L.
SOP	CNV-SSOP-18F25J10	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports MICROCHIP PIC18F25J10.(SSOP-28)
SOP	CNV-SSOP-87C5111	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports ATMEL AT87C5111.(24-pin SSOP)
SOP	CNV-SSOP-DIP30A	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports pin to pin,DIP-30 to SSOP-30.
SOP	CNV-SSOP-PIC16	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports MICROCHIP PIC16C54,PIC16C55,PIC16C56, PIC16C57,PIC16C58A.(28-pin SSOP)
SOP	CNV-SSOP-Z86E08	30-pin SOP(PITCH 0.65mm,5.7mm) socket. Supports ZILOG Z86E02 1925,Z86E08 186X.(20-pin SSOP)

SOP	CNV-TSOP-31LF041	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports SST 31LF041.(40-pin TSOP)
SOP	CNV-TSOP-AT45XXD	28-pin SOP(PITCH 0.55mm,11.8mm) socket. Supports ATMEL AT45DB161D.(28-pin TSOP)
SOP	CNV-TSOP-DIP40B	40-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports SST SST49LF016C.
SOP	CNV-TSOP-DIP40C	40-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports pin to pin,DIP-40 to TSOP-40.
SOP	CNV-TSOP-EP1M32	32-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports all 32-pin TSOP EEPROM from 1MB up. AMD 29F010,29F040; CATALYST 28F010; HITACHI 28F010,29C101,28F4001; MITSUBISHI M5M28F101VP/RV. (32-pin TSOP,8x20mm)
SOP	CNV-TSOP-EP1M32B	32-pin SOP(PITCH 0.5mm,11.8mm) socket. Supports SHARP LHF00L19.(32-pin TSOP)

SOP	CNV-TSOP-EP1M32C	32-pin SOP(PITCH 0.5mm,12mm) socket. Supports all 32-pin TSOP EEPROM from 1MB up. (32-pin TSOP,8x14mm)
SOP	CNV-TSOP-EP1M32R	32-pin SOP(PITCH 0.5mm,18.5mm) socket. Supports EEPROM 1Mbits.(byte wide reverse)(32-pin TSOP)
SOP	CNV-TSOP-EP1M40G	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports ATMEL 27C1024.(40-pin TSOP)
SOP	CNV-TSOP-EP1M40I	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports WINBOND W29C102.(40-pin TSOP)
SOP	CNV-TSOP-EP1M40J	40-pin SOP(PITCH 0.5mm,12.4mm) socket. Supports STM M29W102BB/BT.(40-pin TSOP)
SOP	CNV-TSOP-EP512	28-pin SOP(PITCH 0.55mm,11.8mm) socket. Supports ATMEL 28C16-T,28C64,28C64B,28C256, 29C256,27C256R,27C512R; MITSUBISHI 28C64A; STM M27C256B,M27C512,M27V512.(28-pin TSOP)
SOP	CNV-TSS56-COP8X9	56-pin SOP(PITCH 0.5mm,6.1mm) socket. Supports NATIONAL COP8CB/CC/CDR9,COP8SB/SC/SDR9. (56-pin TSSOP)

SOP	CNV-TSSOP-27C520	20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports ATMEL AT27C520,AT27LV520.(20-pin TSSOP)
-----	------------------	--

SOP	CNV-TSSOP-89LPC	28-pin SOP(PITCH 0.65mm,4.4mm) socket. NXP P89LPC9301,P89LPC931A1,P89LPC9331, P89LPC9341.(28-pin TSSOP)
-----	-----------------	---

SOP	CNV-TSSOP-8XC5XX2	38-pin SOP(PITCH 0.5mm,4.4mm) socket. Supports PHILIPS 87C54X2.(38-pin TSSOP)
-----	-------------------	--

SOP	CNV-TSSOP-AT25XX	20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports ATMEL AT25128,AT25256.(20-pin TSSOP)
-----	------------------	---

SOP	CNV-TSSOP-DIP16	16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports pin to pin,DIP-16 to TSSOP-16.
-----	-----------------	---

SOP	CNV-TSSOP-DIP20	20-pin SOP(PITCH 0.65mm,4.6mm) socket. Supports pin to pin,DIP-20 to TSSOP-20.
-----	-----------------	---

SOP	CNV-TSSOP-DIP24	24-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports ATMEL ATF16V8B/BQ/BL/BQL, ATF22V10B/BQ/BL/BQL.(24-pin TSSOP)
-----	-----------------	--

SOP	CNV-TSSOP-DIP28	28-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports pin to pin,DIP-28 to TSSOP-28.
-----	-----------------	---

SOP	CNV-TSSOP-DIP38	38-pin SOP(PITCH 0.5mm,4.4mm) socket. Supports pin to pin,DIP-38 to TSSOP-38.
SOP	CNV-TSSOP-DIP8A	16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports XICOR X25057.(8-pin TSSOP)
SOP	CNV-TSSOP-LPC76X	20-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports NXP,PHILIPS P87LPC762.(20-pin TSSOP)
SOP	CNV-TSSOP-X25330	16-pin SOP(PITCH 0.65mm,4.4mm) socket. Supports XICOR X25330.(14-pin TSSOP)
SOT	CNV-DS2502-SOT23	3-pin SOT(PITCH 0.95mm,1.3mm) socket. Supports DALLAS DS2502.(3-pin SOT-23)
SOT	CNV-SOT-PIC10F20X	6-pin SOT(PITCH 0.95mm,1.63mm) socket. Supports MICROCHIP PIC10F200,PIC10F202,PIC10F204, PIC10F206.(6-pin SOT-23)